

SiSiB[®] SEM365

Silicone Emulsion

INTRODUCTION

SiSiB[®] SEM365 is a 65% actives non-ionic emulsion formulated with PDMS. Because of its non-ionic nature, it can be used in a variety of systems, such as nonionic, anionic, cationic surfactant or polymer systems without forming a complex.

It has good wetting and sliding resistance. Below 50°C, it has good emulsion stability.

TYPICAL PHYSICAL PROPERTIES

Appearance	Milky white
Non-volatile content	65~66%
Specific gravity(25°C)	0.98~1.0
PH	6.0~8.0
Emulsifier types	nonionic

APPLICATIONS

SiSiB[®] SEM365 is used to provide good gloss with minimum smear in both car and furniture polish formulations.

SiSiB[®] SEM365 is used as release agent of plastics, rubber parts (stoppers, screw tops, bungs, etc).

SiSiB[®] SEM365 is used for lubrication of extruded rubber parts, conveyor belts.

It also can be used as lubricant of textile machinery.

PACKING AND STORAGE

SiSiB[®] SEM365 is supplied in 20Kg drum or 200kg drum.

Store in a cool and dry place out of direct sunlight.

NOTES

All information in the leaflet is based on our present knowledge and experience. We reserve the right to make any changes according to technological progress or further

SiSiB[®] SEM365

Silicone Emulsion

developments. Performance of the product described herein should be verified by testing.

We specifically disclaim any other express or implied warranty of fitness for a particular purpose or merchantability. We disclaim liability for any incidental or consequential damages.

March 2024 | [Technical Data Sheet](#) | [Edition SR](#)

Please send all technical questions concerning quality and product safety to: support@SiSiB.com.