SAFETY DATA SHEET

POWSIL™-59257

SECTION 1: Identification of the substance/mixture and of the company

Product Identifier				
Product Name:	POWSIL™-59257			
Relevant identified uses of the substance or mixture and uses advised against				
Relevant applications identified	For industrial use			
Details of the supplier of the safety data sheet				
Company	Nanjing SiSiB Silicones Co., Ltd.			
	Guanghua Sci & Tech Industrial Zone,			
	No. 104, Guanghua Road, Nanjing 210007, P.R.China			
	Email: SDS@SiSiB.com			
Emergency Telephone Number:	+86-25-8468-0091			

SECTION 2: Hazardous identification

Summary of hazard in an er	mergency situation
Liquid. Mixes with water.	
Classification of hazards	
Not Applicable.	
Label elements	
GHS Label elements	Not Applicable
Signal word	Not Applicable
Hazard statement(s)	
Not Applicable	
Precautionary statement(s)	
Precautions	Not Applicable
Incident response	Not Applicable
Safe storage	Not Applicable
Waste disposal	Not Applicable
Physical and Chemical Haz	ard
Liquid. Mixes with water.	
Health Hazards	
Inhaled	
The material is not thought to	produce adverse health effects or irritation of the respiratory tract (as
classified by EC Directives us	sing animal models).
Nevertheless, good hygiene p	practice requires that exposure be kept to a minimum and that suitable
control measures be used in a	an occupational setting.
Ingestion	
Ingestion of the material may	damage to the health of the individual.
Skin Contact	



SAFETY DATA SHEET

POWSIL[™]-59257

Version 6.4R	Page 2 / 9	Revision Date 27.12.2023
	5	

This material can cause inflammation of the skin on contact in some persons. Open cuts, abraded or irritated skin should not be exposed to this material.

Eye

This material can cause eye irritation and damage in some persons.

Environmental Hazards

See section 12.

Other hazards

Cumulative effects may result following exposure.

SECTION 3: Composition/information on ingredients

Chemical properties

Mixture

Composition Information

CAS No.	%[weight]	Name
68937-54-2	≥95.0	Polysiloxanes, di-Me, 3-hydroxypropyl Me, ethoxylated

SECTION 4: First aid measures

Description of first aid measures

Eye contact

Wash out immediately with fresh running water.

Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.

Seek medical attention without delay; if pain persists or recurs seek medical attention.

Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

Skin contact

Immediately remove all contaminated clothing, including footwear.

Flush skin and hair with running water (and soap if available).

Seek medical attention in event of irritation.

Inhalation

If fumes, aerosols or combustion products are inhaled remove from contaminated area.

Other measures are usually unnecessary.

Ingestion

Immediately give a glass of water.

First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

Advise for rescue team (PPE requirement for rescue personnel)

Wear portable respiratory protective devices if get into the scene of the accident.

Indication of any immediate medical attention and special treatment needed Treat symptomatically.



SAFETY DATA SHEET

POWSIL[™]-59257

Version 6.4R	Page 3 / 9	Revision Date 27.12.2023
--------------	------------	--------------------------

SECTION 5: Firefighting measures

Extinguishing media

Water spray or fog. Foam. Dry chemical powder. BCF (where regulations permit). Carbon dioxide. **Fire Incompatibility**

Avoid contamination with oxidizing agents i.e. nitrates, oxidizing acids, chlorine bleaches, pool chlorine etc. as ignition may result.

Advice for firefighters

Fire Fighting

Alert Fire Brigade and tell them location and nature of hazard.

Wear full body protective clothing with breathing apparatus.

Prevent, by any means available, spillage from entering drains or water course.

Use water delivered as a fine spray to control fire and cool adjacent area.

DO NOT approach containers suspected to be hot.

Cool fire exposed containers with water spray from a protected location.

If safe to do so, remove containers from path of fire.

Fire/Explosion Hazard

Combustible.

Slight fire hazard when exposed to heat or flame.

Heating may cause expansion or decomposition leading to violent rupture of containers.

On combustion, may emit toxic fumes of carbon monoxide (CO).

May emit acrid smoke.

Mists containing combustible materials may be explosive.

Combustion products include:

Carbon dioxide (CO₂),

Other pyrolysis products typical of burning organic material.

May emit corrosive fumes.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Minor Spills

Clean up all spills immediately.

Avoid contact with skin and eyes, by using protective equipment.

Collect the leakage, place in a suitable, labelled container for waste disposal.

Major Spills

Alert Fire Brigade and tell them location and nature of hazard.

Use protective equipment to avoid contact with skin and eyes.

Contain spill with sand, earth or vermiculite.



SAFETY DATA SHEET

POWSIL[™]-59257

Version 6.4R Page 4 / 9 Revision Date 27.12.2023
--

Collect recoverable product into labelled containers for recycling. Collect residues and seal in labelled drums for disposal. If contamination of drains or waterways occurs, advise emergency services. Personal Protective Equipment advice is contained in Section 8 of the SDS. **Measures for Preventing Secondary Contamination** Refer to section above **Environmental precautions:** See section 12

SECTION 7: Handling and storage

Handling

Precautions for safe handling

Safe handling

Avoid all personal contact, including inhalation.

Wear protective clothing when risk of exposure occurs.

Use in a well-ventilated area.

Prevent concentration in hollows and sumps.

DO NOT enter confined spaces until atmosphere has been checked.

Avoid smoking, naked lights or ignition sources.

Avoid contact with incompatible materials.

When handling, DO NOT eat, drink or smoke.

Keep containers securely sealed when not in use.

Avoid physical damage to containers.

Always wash hands with soap and water after handling.

Work clothes should be laundered separately.

Use good occupational work practice.

Observe manufacturer's storage and handling recommendations contained within this SDS.

Atmosphere should be regularly checked against established exposure standards to ensure safe working conditions.

Other information

Store in original containers.

Keep containers securely sealed.

No smoking, naked lights or ignition sources.

Store in a cool, dry, well-ventilated area.

Store away from incompatible materials and foodstuff containers.

Protect containers against physical damage and check regularly for leaks.

Observe manufacturer's storage and handling recommendations contained within this SDS.

Conditions for safe storage, including any incompatibilities

Suitable container



SAFETY DATA SHEET

POWSIL[™]-59257

Metal can, plastic tank or drum.

Packaging as recommended by manufacturer.

Check all containers are clearly labelled and free from leaks.

Storage incompatibility

Avoid reaction with oxidizing agents

SECTION 8: Exposure Controls/Personal Protection

Control parameters

Occupational exposure limits (OEL)

Ingredient data

Not Applicable.

Emergency limits

ſ	Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
Ē	Polysiloxanes, di-Me,3- hydroxypropyl Me,	Polysiloxanes, di-Me,3- hydroxypropyl Me,	60mg/m ³	660mg/m ³	4000mg/m ³
	ethoxylated	ethoxylated			

Ingredient	Original IDLH	Revised IDLH
Polysiloxanes, di-Me,3-hydroxypropyl Me, ethoxylated	Not Available	Not Available

Exposure controls

Appropriate engineering controls

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. General exhaust is adequate under normal operating conditions. Local exhaust ventilation may be required in specific circumstances. If risk of overexposure exists, wear approved respirator. Correct fit is essential to obtain adequate protection. Provide adequate ventilation in warehouse or closed storage areas. Air contaminants generated in the workplace possess varying "escape" velocities which, in turn, determine the "capture velocities" of fresh circulating air required to effectively remove the contaminant. Process controls which involve changing the way a job activity or process is done to reduce the risk.

Personal protection



Eye/face protection Safety glasses with side shields. Chemical goggles. Skin protection See Hand protection below Hands/feet protection



SiSiB SILICONES - A part of SINOPCC group.

SAFETY DATA SHEET

POWSIL™-59257

Version 6.4R	Page 6 / 9	Revision Date 27.12.2023			
Wear chemical protective g	Wear chemical protective gloves, e.g. PVC.				
Wear safety footwear or sa	Wear safety footwear or safety gumboots, e.g. Rubber				
Body Protection	Body Protection				
See Other protection below	See Other protection below				
Other protection	Other protection				
Overalls.					
P.V.C. apron.					
Eye wash unit.					
Thermal hazards					
Not Available					

SECTION 9: Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance	Colorless to slight yellow viscous liquid
Odor	Sight odor
Odor threshold	No data available
pH as a solution (1%)	6.0-8.0
Melting point / freezing point (°C)	No data available
Initial boiling point / boiling range (°C)	No data available
Flash point (°C)	No data available
Flammability	Not Applicable
Upper Explosive Limit (%)	No data available
Lower Explosive Limit (%)	No data available
Explosive properties	Not explosive
Vapor pressure (kPa)	No data available
Vapor density (Air = 1)	No data available
Relative density (Water = 1)	No data available
Solubility in water (g/L)	Miscible
Partition coefficient n-octanol / water	No data available
Auto-ignition temperature (°C)	No data available
Decomposition temperature (°C)	No data available
Critical temperature (°C)	No data available
Critical pressure (kPa)	No data available
Combustion heat	No data available
Evaporation rate	No data available
Viscosity (mPa • s)	No data available
VOC (g/L)	No data available

SECTION 10: Stability and Reactivity



SAFETY DATA SHEET

POWSIL[™]-59257

ersion 6.4R	Page 7 / 9	Revision Date 27.12.2023
Reactivity		
See section 7		
Chemical stability		
Product is considered	ed stable.	
Hazardous polymer	ization will not occur.	
Possibility of haza	rdous reactions	
See section 7		
Conditions to avoi	d	
See section 7		
Incompatible mate	rials	
See section 7		
Hazardous decom	position products	
See section 5		

SECTION 11: Toxicological Information

Acute oral toxicity LD50 >5000mg/kg (rat). Acute dermal toxicity LD50 No data available Acute inhalation toxicity LC50 No data available Skin corrosion /irritation No data available Eye damage/ irritation No data available Respiratory or skin sensitization No data available Germ cell mutagenicity No data available **Reproductive toxicity** No data available STOT – single exposure No data available **STOT - repeated exposure** No data available Aspiration toxicity No data available Carcinogenicity assessment carcinogenicity

> **SISIB** SILICONES 西斯博有机硅

SAFETY DATA SHEET

POWSIL[™]-59257

Version 6.4R

Page 8 / 9

Revision Date 27.12.2023

No data available

SECTION 12: Ecological Effects

Acute aquatic toxicity LC50 >100mg/L (OECD 203, 96h, Fish) Acute aquatic toxicity EC50 >100mg/L (OECD 202, 48h, Daphnia) Acute aquatic toxicity ErC50 >100mg/L (OECD 201, 72h, Algae) Aquatic toxicity IC50 >100mg /L (OECD 209, 3h, Bacteria) Chronic toxicity to fish No data available Chronic toxicity to aquatic invertebrates No data available Degradability No data available COD No data available BOD No data available Persistence No data available **Bioaccumulative potential** No data available Mobility in soil No data available

SECTION 13: Disposal considerations

Waste chemicals

Treatment must be in accordance with applicable Federal, State/Provincial, and Local regulations. Recycle as much as possible, try to avoid and reduce waste.

DO NOT discharge the waste into drains.

Contaminated packing materials

Packaging may contain residual chemicals; Treatment must be in accordance with applicable Federal, State/Provincial, and Local regulations.

Recycle or reuse of cleaned materials should be in accordance with applicable Federal, State/Provincial, and Local regulations.



SiSiB SILICONES - A part of SINOPCC group.

SAFETY DATA SHEET

POWSIL[™]-59257

Version 6.4R	Page 9 / 9	Revision Date 27.12.2023
--------------	------------	--------------------------

Precautions for Transport

Attentions of operation, treatment and precautions of workers should be referred to the content of section 7 and section 8.

SECTION 14: Transport Information

UN number		
ADR/RID: -	IMDG: -	IATA: -
UN proper shipping name		
ADR/RID:	Not dangerous goods	
IMDG:	Not dangerous goods	
IATA:	Not dangerous goods	
Transport hazard class(es)		
ADR/RID: -	IMDG: -	IATA: -
Packing group		
ADR/RID: -	IMDG: -	IATA: -
Environmental hazards		
ADR/RID: no	IMDG Marine Pollutant: no	IATA: no
Special precautions for user		
no data available		

SECTION 15:Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture Polysiloxanes, di-Me,3-hydroxypropyl Me, ethoxylated (68937-54-2) China Inventory of Existing Chemical Substances

SECTION 16: Other Information

Further information

It must be recognized that the physical and chemical properties of any product may not be fully understood and that new, possibly hazardous products may arise from reactions between chemicals. The information given in this data sheet is based on our present knowledge and shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

