

**SECTION 1: Identification of the substance/mixture and of the company**

**Product Identifier**

Product Name: POWSIL™-59900

**Relevant identified uses of the substance or mixture and uses advised against**

Relevant applications identified For textile softener use

**Details of the supplier of the safety data sheet**

**Company**

Nanjing SiSiB Silicones Co., Ltd.  
 Guanghua Sci & Tech Industrial Zone,  
 No. 104, Guanghua Road, Nanjing 210007, P.R.China  
 Email: SDS@SiSiB.com

**Emergency Telephone Number:** +86-25-8468-0091

**SECTION 2: Hazardous identification**

**Classification of the substance or mixture**

Liquid. Mixes with water.

**Classification of hazards**

Chronic Aquatic Hazard Category 3

For the full text of the H-Statements mentioned in this Section, see Section 16.

**Label elements**

Pictogram Not Applicable.

Signal word Not Applicable.

Hazard statement(s):

H412 Harmful to aquatic life with long lasting effects.

Precautionary statement(s):

P273 Avoid release to the environment.

Incident response Not Applicable.

Safe storage Not Applicable.

Waste disposal:

P501 Dispose of contents/container in accordance with local regulations.

Physical and Chemical Hazard Liquid. Mixes with water.

Health Hazards Statements:

Inhaled

The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models).

Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting.

Ingestion

Ingestion of the material may be damaging to the health of the individual.

**Skin Contact**

This material can cause inflammation of the skin on contact in some persons. Open cuts, abraded or irritated skin should not be exposed to this material.

**Eye**

This material can cause eye irritation and damage in some persons.

**Environmental Hazards**

See Section 12

**Other hazards**

None

**SECTION 3: Composition/information on ingredients**

**Substances**

Chemical properties

Mixture

**Composition Information**

CAS-No	Concentration	Component
519142-86-0	60.0-70.0%	Quaternary modified silicone
68937-55-3	20.0-25.0%	Polysiloxanes, di-Me,3-hydroxypropyl Me, ethoxylatedpropoxylated
69430-24-6	<5.0%	Cyclicdimethylpolysiloxane

**SECTION 4: First aid measures**

**Description of first aid measures**

**In case of eye contact**

If this product comes in contact with the eyes:

Wash out immediately with fresh running water.

Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.

Seek medical attention without delay; if pain persists or recurs seek medical attention.

Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

**In case of skin contact**

If skin contact occurs:

Immediately remove all contaminated clothing, including footwear.

Flush skin and hair with running water (and soap if available).

Seek medical attention in event of irritation.

**In case of Inhalation**

If fumes, aerosols or combustion products are inhaled remove from contaminated area.

Other measures are usually unnecessary.

**In case of Ingestion**

Immediately give a glass of water.

First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

**Advise for rescue team (PPE requirement for rescue personnel)**

Wear portable respiratory protective devices if get into the scene of the accident.

**Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

**SECTION 5: Firefighting measures**

**Extinguishing media**

**Suitable extinguishing media**

Use water spray or fog, foam, dry chemical powder, BCF (where regulations permit) or carbon dioxide.

**Special hazards arising from the substance or mixture**

Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result.

**Advice for firefighters**

Alert Fire Brigade and tell them location and nature of hazard.

Wear full body protective clothing with breathing apparatus.

Prevent, by any means available, spillage from entering drains or water course.

Use water delivered as a fine spray to control fire and cool adjacent area.

DO NOT approach containers suspected to be hot.

Cool fire exposed containers with water spray from a protected location.

If safe to do so, remove containers from path of fire.

**Fire/Explosion Hazard**

Combustible.

Slight fire hazard when exposed to heat or flame.

Heating may cause expansion or decomposition leading to violent rupture of containers.

On combustion, may emit toxic fumes of carbon monoxide (CO).

May emit acrid smoke.

Mists containing combustible materials may be explosive.

Combustion products include:

Carbon dioxide (CO<sub>2</sub>), Other pyrolysis products typical of burning organic material, May emit corrosive fumes.

**SECTION 6: Accidental release measures**

**Personal precautions, protective equipment and emergency procedures**

**Minor Spills**

Clean up all spills immediately. Avoid contact with skin and eyes, by using protective equipment. Collect

the leakage, place in a suitable, labelled container for waste disposal.

**Major Spills**

Alert Fire Brigade and tell them location and nature of hazard. Use protective equipment to avoid contact with skin and eyes. Contain spill with sand, earth or vermiculite. Collect recoverable product into labelled containers for recycling. Collect residues and seal in labelled drums for disposal. If contamination of drains or waterways occurs, advise emergency services. For personal protection see section 8.

**Environmental precautions:**

For disposal see section 12.

**Measures for Preventing Secondary Contamination**

Refer to section above.

**SECTION 7: Handling and storage**

**Precautions for safe handling**

**Safe handling**

Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. Prevent concentration in hollows and sumps. DO NOT enter confined spaces until atmosphere has been checked. Avoid smoking, naked lights or ignition sources. Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers securely sealed when not in use. Avoid physical damage to containers. Always wash hands with soap and water after handling. Work clothes should be laundered separately. Use good occupational work practice. Observe manufacturer's storage and handling recommendations contained within this SDS. Atmosphere should be regularly checked against established exposure standards to ensure safe working conditions.

**Other information**

Store in original containers. Keep containers securely sealed. No smoking, naked lights or ignition sources. Store in a cool, dry, well-ventilated area. Store away from incompatible materials and foodstuff containers. Protect containers against physical damage and check regularly for leaks. Observe manufacturer's storage and handling recommendations contained within this SDS.

**Conditions for safe storage, including any incompatibilities**

**Suitable container**

Metal can, plastic tank or drum. Packaging as recommended by manufacturer. Check all containers are clearly labelled and free from leaks.

**Storage incompatibility**

None.

**SECTION 8: Exposure Controls/Personal Protection**

**Control parameters**

**Occupational exposure limits (OEL)**

Ingredient data'

Version 7.1C	Page 5 / 9	Revision Date 10.08.2024
--------------	------------	--------------------------

Not available.

Emergency limits

Ingredient	Original IDLH	Revised IDLH
Quaternary modified siliozne	Not available	Not available
Polysiloxanes, di-Me,3-hydroxypropyl Me, ethoxylatedpropoxylated	Not available	Not available
Cyclicdimethylpolysiloxane	Not available	Not available

### Exposure controls

#### Appropriate engineering controls

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. General exhaust is adequate under normal operating conditions. Local exhaust ventilation may be required in specific circumstances. If risk of overexposure exists, wear approved respirator. Correct fit is essential to obtain adequate protection. Provide adequate ventilation in warehouse or closed storage areas. Air contaminants generated in the workplace possess varying "escape" velocities which, in turn, determine the "capture velocities" of fresh circulating air required to effectively remove the contaminant. Process controls which involve changing the way a job activity or process is done to reduce the risk.

#### Personal protective equipment

Gloves, goggles and protective clothing.

#### Eye/face protection

Safety glasses with side shields. Chemical goggles.

#### Skin protection

See Hand protection below.

#### Hands/feet protection

Wear chemical protective gloves, e.g. PVC. Wear safety footwear or safety gumboots, e.g. Rubber.

#### Body protection

See Other protection below.

#### Other protection

Overalls. P.V.C. apron. Eye wash unit.

#### Thermal hazards

Not available.

## SECTION 9: Physical and Chemical Properties

### Information on basic physical and chemical properties

Appearance	Yellowish transparent viscous liquid
Odor	Sight odour

Odor Threshold	no data available
pH	no data available
Melting point/freezing point	no data available
Initial boiling point and boiling range	no data available
Flash point:	no data available
Evaporation rate	no data available
Flammability (solid, gas)	no data available
Upper explosive limit	no data available
Lower explosive limit	no data available
Explosive properties	Not explosive
Vapour pressure (kPa)	no data available
Vapor density:	no data available
Relative density	0.95-1.05
Water solubility:	Miscible
Partition coefficient: n-octanol/water	no data available
Auto-ignition temperature	no data available
Decomposition temperature	no data available
Critical temperature	no data available
Critical pressure	no data available
Combustion heat	no data available
Viscosity (mPa.s)	4000-12000
Evaporation rate	no data available
VOC	no data available

## SECTION 10: Stability And Reactivity

### Reactivity

See section 7

### Chemical stability

Product is considered stable. Hazardous polymerisation will not occur.

### Possibility of hazardous reactions

See section 7

### Conditions to avoid

See section 7

### Incompatible materials

See section 7

### Hazardous decomposition products

See section 5

## SECTION 11: Toxicological Information

**Information on toxicological effects**

**Acute toxicity**

LD50 >5000 mg/kg (rat)

LC50 no data available

LC50 no data available

**Skin corrosion/irritation**

no data available

**Serious eye damage/eye irritation**

no data available

**Respiratory or skin sensitization**

no data available

**Germ cell mutagenicity**

no data available

**Reproductive toxicity**

no data available

**STOT – single exposure**

no data available

**STOT - repeated exposure**

no data available

**Aspiration toxicity**

no data available

**Carcinogenicity assessment carcinogenicity**

no data available

**SECTION 12: Ecological Effects**

**Acute aquatic toxicity LC50**

>10 but <=100 mg/L (OECD 203, 96h, Fish)

**Acute aquatic toxicity EC50**

>10 but <=100 mg/L (OECD 202, 48h, Daphnia)

**Aquatic toxicity IC50**

>100 mg /L (OECD 209, 3h, Bacteria)

**Chronic toxicity to fish**

no data available

**Chronic toxicity to aquatic invertebrates**

no data available

**Chronic toxicity to fish**

no data available

**Degradability**

Version 7.1C	Page 8 / 9	Revision Date 10.08.2024
--------------	------------	--------------------------

no data available

**COD**

no data available

**BOD**

no data available

**Persistence**

no data available

**Bioaccumulative potential**

no data available

**Mobility in soil**

no data available

**SECTION 13: Disposal considerations**

**Waste chemicals**

Treatment must be in accordance with applicable Federal, State/Provincial, and Local regulations.

Recycle as much as possible, try to avoid and reduce waste. DO NOT discharge the waste into drains.

**Contaminated packaging**

Packaging may contain residual chemicals, Treatment must be in accordance with applicable Federal, State/Provincial, and Local regulations. Recycle or reuse of cleaned materials should be in accordance with applicable Federal, State/Provincial, and Local regulations

**Precautions for Transport**

Attentions of operation, treatment and precautions of workers should be referred to the content of section 7 and section 8.

**SECTION 14: Transport Information**

**UN number**

ADR/RID: -	IMDG: -	IATA: -
------------	---------	---------

**UN proper shipping name**

ADR/RID:	Not dangerous goods
IMDG:	Not dangerous goods
IATA:	Not dangerous goods

**Transport hazard class(es)**

ADR/RID: -	IMDG: -	IATA: -
------------	---------	---------

**Packaging group**

ADR/RID: -	IMDG: -	IATA: -
------------	---------	---------

**Environmental hazards**

ADR/RID: no	IMDG Marine pollutant: no	IATA: no
-------------	---------------------------	----------

**Special precautions for user**



No data available

### SECTION 15:Regulatory Information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

**Safety, health and environmental regulations/legislation specific for the substance or mixture**

Quaternary modified silicone(519142-86-0) China Inventory of Existing Chemical Substances

Polysiloxanes, di-Me,3-hydroxypropyl Me,

ethoxylatedpropoxylated(68937-55-3) China Inventory of Existing Chemical Substances

Cyclicdimethylpolysiloxane(69430-24-6) China Inventory of Existing Chemical Substances

### SECTION 16:Other Information

**Further information**

It must be recognized that the physical and chemical properties of any product may not be fully understood and that new, possibly hazardous products may arise from reactions between chemicals. The information given in this data sheet is based on our present knowledge and shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.