

SiSiB[®] WR1980

Water Repellent Emulsion

INTRODUCTION

SiSiB[®] WR1980 is a modified silicone emulsion which can provide excellent water resistance for inorganic substrate and building materials.

BENEFITS

SiSiB[®] WR1980 can be used as primer for inorganic substrate to supply water resistance.

SiSiB[®] WR1980 is APEO free and can be mixed with other emulsions.

TYPICAL PHYSICAL PROPERTIES

Color and Appearance	Milky White Liquid
Ingredient	Emulsion of Modified Silicone
Active Ingredient	50%
Solvent	Water

APPLICATIONS

SiSiB[®] WR1980 can be used in all water borne coatings

SiSiB[®] WR1980 can be added at random stage during the production. The recommended dosage is 1-5% depending on the total weight.

PACKING AND STORAGE

SiSiB[®] WR1980 is supplied in 25kg plastic pail.

In the unopened container SiSiB[®] WR1980 has a shelf life of 24 months. Storage beyond the date specified on the label does not necessarily mean that the product is no longer usable. In this case however, the properties required for the intended use must be checked for quality assurance reasons.

NOTES

AddSil, CoatSil, Kolark, PowSil, SinoSil, SiSiB, WinSil:
Trademark of SINOPCC Group Limited or its affiliated.
© 2018 SINOPCC Group Limited. All rights reserved.
For further information, please see www.SiSiB.com.

SiSiB[®] WR1980

Water Repellent Emulsion

All information in the leaflet is based on our present knowledge and experience. We reserve the right to make any changes according to technological progress or further developments. Performance of the product described herein should be verified by testing.

We specifically disclaim any other express or implied warranty of fitness for a particular purpose or merchantability. We disclaim liability for any incidental or consequential damages.

March 2024 | [Technical Data Sheet](#) | [Edition LS](#)

Please send all technical questions concerning quality and product safety to: support@SiSiB.com.