

SiSiB[®] PC16327 Silicone Elastomer Blend

INCI NAME	Dimethicone (and) Dimethicone Crosspolymer (and) Dimethicone/Vinyl Dimethicone Crosspolymer (and) Dimethiconol	
INTRODUCTION	SiSiB® PC16327 is a mixture of high molecular weight Dimethicone Crosspolymer (and) Dimethicone/Vinyl Dimethicone Crosspolymer in Dimethicone which could be dispersed in oil phase excellently and it is a slightly translucent gel. This product may be formulated into W/O emulsions, water-in-silicone oil, and O/W emulsions and anhydrous products to provide dry smoothness and a light silky skin, non-greasy feel.	
ADVANTAGES	 Clear to slightly translucent crosslinked silicone elastomer gel Acts as a thickening agent for w/o and w/silicone oil formulations, cyclomethicones and other silicone fluids Slight sebum absorption Provides dry smoothness and a light silky skin feel, non-greasy Reduces tackiness of formulations Quick absorption Available for heat process Compatible with organic ingredients 	
PHYSICAL PROPERTIES	Appearance	Slightly translucent gel
	Non-volatile content (%, w/w)	>70
	Viscosity (S94, 2.5RPM, 25°C)	100,000~250,000cSt
BENEFITS & APPLICATIONS	SiSiB® PC16327 can be used in skin care, hair care, and other potential formulations, such as sun care, color cosmetics, and styling aid, etc. How to use: This product could be dispersed into the oil-phase using simple mixing. SiSiB® PC16327 can be added to the oil phase or silicone phase in an	

emulsion formulation.

SiSiB® PC16327 can be post-added to emulsions provided the emulsion is

SINOPCC GROUP

Product Data Sheet - Page 1/2 SiSiB[®] PC16327 December 2024, Version 8.1, S-D Copyright © SiSiB SILICONES. Affiliate of SINOPCC GROUP. www.sinosil.com



SiSiB[®] PC16327 Silicone Elastomer Blend

viscous enough for the products to be dispersed.

For ease of use, blending with dimethicone or cyclomethicone may reduce this product's viscosity.

SiSiB® PC16327 would become very thick or even lumpy after a period of time. This is normal and it will recovery to original state after slightly agitate.

RECOMMENDED DOSAGE The recommended usage level is 1-20%.

PACKING SiSiB® PC16327 is available in 20Kg plastic drum, or 200Kg steel drum.

HANDLING This document does not contain the product safety information required for safe use. Before handling, please refer to the product and safety data sheets, as well as container labels, for information on safe usage, physical hazards, and health risks. Safety Data Sheet is available on the website, from the distributor, or by contacting SiSiB customer service.

 STORAGE
 In the original unopened packaging, SiSiB® PC16327 has a shelf life of two years in a dry and cool place. The storage temperature could not be over 60°C.

LIMITATIONS This product is neither tested nor represented as suitable for medical or pharmaceutical uses.

NOTE All information in the leaflet is based on our present knowledge and experience. We reserve the right to make any changes according to technological progress or further developments. Performance of the product described herein should be verified by testing.

> We specifically disclaim any other express or implied warranty of fitness for a particular purpose or merchantability.

We disclaim liability for any incidental or consequential damages.

SINOPCC GROUP

Product Data Sheet - Page 2/2 SiSiB[®] PC16327 December 2024, Version 8.1, S-D Copyright © SiSiB SILICONES. Affiliate of SINOPCC GROUP. www.sinosil.com