

SiSiB[®] PC16466 Formulation Aids

INCI NAME	Cyclopentasiloxane (and) Dimethicone (and) PEG/PPG-10/15 Dimethicone (and) Dimethicone/Vinyldimethicone Crosspolymer	
INTRODUCTION	SiSiB® PC16466 is a kind of silicone gel with slight characteristic odor that contains polyether groups, which not only has the skin feel, but also it can be an emulsifying agent in water-in-silicone oil and water-in-oil systems. This product can enhance the thickness feel for water-in-silicone oil and water-in-oil systems, provides better stability and soft, silky-powdery smoothness, and the semi-gloss effect. In addition, the product can dissolve the non-polar ingredients in the external phase (silicone oil) and the polar ingredients in the inner phase (water) as a dispersant in polar ingredients and non-polar ingredients formulations. It is a good transfer system for both polar and non-polar materials.	
ADVANTAGES	 Cyclomethicone and Dimethicone and Crosspolymer of polyether and polysiloxane Excellent W/Si and W/O emulsibility Acts as a thickening agent in W/Si and W/O systems Provides velvet skin feel for the products 	
PHYSICAL PROPERTIES	Appearance	Milky-white to light yellow translucent gel
	Penetration degree (1/10mm)	300-500
BENEFITS & APPLICATIONS	PPLICATIONS SiSiB® PC16466 could be used in a wide range of personal c applications, includes:	
	Color cosmetics (such as W/O formulation) Skin care (such as foundation, eye shadow and so on) Sun care	
	How to use:	
	Thoroughly stir the product into oil phase.	
	Add water phase to oil phase emulsion slowly.	
	Speed up the stirring rate to enhance stability of W/O emulsion system,	

SINOPCC GROUP

Product Data Sheet - Page 1/2 SiSiB[®] PC16466 May 2024, Version 8.1, F-F Copyright © SiSiB SILICONES. Affiliate of SINOPCC GROUP. www.sinosil.com



SiSiB[®] PC16466 Formulation Aids

increase proportion of water phase to enhance stickiness.

Added electrolytes, preferably NaCl at a level of 0.5% to 2% in water phase to enhance storage stability of the emulsion system.

The emulsion can be emulsified at ambient temperature if the formulation was free from solid ingredients.

RECOMMENDED DOSAGE The recommended usage level of this product is 3%-10% according to the total amount of the formulation. It is also recommended to carry out preliminary tests to determine the optimum quantity for particular application.

PACKING SiSiB® PC16466 is available in 20Kg plastic pail or 200Kg steel drum.

HANDLING This document does not contain the product safety information required for safe use. Before handling, please refer to the product and safety data sheets, as well as container labels, for information on safe usage, physical hazards, and health risks. Safety Data Sheet is available on the website, from the distributor, or by contacting SiSiB customer service.

STORAGEIn the original unopened packaging, SiSiB® PC16466 has a shelf life of 12
months in a dry and cool place at room temperature.

LIMITATIONS This product is neither tested nor represented as suitable for medical or pharmaceutical uses.

NOTE All information in the leaflet is based on our present knowledge and experience. We reserve the right to make any changes according to technological progress or further developments. Performance of the product described herein should be verified by testing.

> We specifically disclaim any other express or implied warranty of fitness for a particular purpose or merchantability.

We disclaim liability for any incidental or consequential damages.

SINOPCC GROUP

Product Data Sheet - Page 2/2 SiSiB[®] PC16466 May 2024, Version 8.1, F-F Copyright © SiSiB SILICONES. Affiliate of SINOPCC GROUP. www.sinosil.com