

ADDSiL™ 1372 Anti-Graffiti & Easy Clean

INTRODUCTION

ADDSiL™ 1372 is organic modified polysiloxane. It has good compatibility and could be used in clear systems.

ADDSiL™ 1372 provides excellent anti-graffiti and anti-blocking effect.

EFFECTS

Leveling:	★★★★★
Wetting:	★★★★★
Recoat Ability:	★★
Compatibility:	★★★★★
Slip effect:	★★★★★
Low Foaming Stability:	★★
Anti-crater:	★★★★★
Anti-adhesive:	★★★★★

PHYSICAL PROPERTIES

Appearance	Yellow Clear Liquid
Ingredient:	Organic Modified Polysiloxane
Content (%):	25%
Solvent:	Dipropylene Glycol Dimethyl Ether

APPLICATIONS

ADDSiL™ 1372 is suitable for water-based systems.

The recommended dosage is 1% to 6% based on the total formulation. Optimal dosages should be determined by tests.

PACKING

ADDSiL™ 1372 is supplied in net weight 25 kg pail.

HANDLING

This document does not contain the product safety information required for safe use. Before handling, please refer to the product and safety data sheets, as well as container labels, for information on safe usage, physical hazards, and health risks. Safety Data Sheet is available on the website, from the distributor, or by contacting SiSiB customer service.

STORAGE

When stored at ambient temperature in the original unopened packing, ADDSiL™ 1372 has a shelf life of 12 months from the date of production.

ADDSiL™ 1372 Anti-Graffiti & Easy Clean

NOTE

All information in the leaflet is based on our present knowledge and experience. We reserve the right to make any changes according to technological progress or further developments. Performance of the product described herein should be verified by testing.

We specifically disclaim any other express or implied warranty of fitness for a particular purpose or merchantability.

We disclaim liability for any incidental or consequential damages.