

ADDSiL™ 5062 Defoamer & Deaerator

INTRODUCTION

ADDSiL[™] 5062 is a universal silicone defoamer for both water-based and oil-based applications, possessing extremely strong bubble breaking and suppressing capabilities.

ADDSiL™ 5062 should be added during the milling stage, and it demonstrates excellent performance even at very low addition levels. It is suitable for eliminating microbubbles in high-viscosity coatings and ink systems.

PHYSICAL PROPERTIES

Ingredient	Modified Polydimethylsiloxane
Appearance	Light yellow turbid liquid
Content	100%

BENEFITS

ADDSiL[™] 5062 defoamer is suitable for water-based and middle to high polarity oil coating systems. It can defoam as quickly as possible.

ADDSiL[™] 5062 defoamer demonstrates significant efficiency in defoaming ability even at relatively low additive dosages, and performs very well.

APPLICATIONS

ADDSiL[™] 5062 is suitable for a variety of water-based and medium to high polarity coating and ink systems.

RECOMMENDED DOSAGE

The recommended dosage is 0.05-1.0% of the total formulations, preferably during the milling stage. After addition, thorough mixing is required to ensure good dispersion.

PACKING

ADDSiL™ 5062 is supplied in 25Kg pail.

HANDLING

This document does not contain the product safety information required for safe use. Before handling, please refer to the product and safety data sheets, as well as container labels, for information on safe usage, physical hazards, and health risks. Safety Data Sheet is available on the website, from the distributor, or by contacting SiSiB customer service.

STORAGE

When stored at temperatures between 10°C and 35°C in the original unopened containers, ADDSiL™ 5062 has a shelf life of 24 months from the



ADDSiL™ 5062 Defoamer & Deaerator

date of production.

NOTE

All information in the leaflet is based on our present knowledge and experience. We reserve the right to make any changes according to technological progress or further developments. Performance of the product described herein should be verified by testing.

We specifically disclaim any other express or implied warranty of fitness for a particular purpose or merchantability.

We disclaim liability for any incidental or consequential damages.